



CATTLE SUPREME 8 AUREO2.6G GRAN Medicated

A vitamin, mineral supplement for beef cattle for control of active infection of anaplasmosis caused by Anaplasma marginale susceptible to Chlortetracycline.

CAUTION: Beginning January 1, 2017, Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

ACTIVE DRUG INGREDIENT

Chlortetracycline 2.6 g/lb

Guaranteed Analysis

Calcium (Ca)	(Min)	14.2 %	Copper (Cu)	(Min)	2,206 ppm
Calcium (Ca)	(Max)	17.1 %	Manganese (Mn)	(Min)	2,801 ppm
Phosphorus (P)	(Min)	8.12 %	Selenium (Se)	(Min)	26.4 ppm
Salt (NaCl)	(Min)	17.7 %	Zinc (Zn)	(Min)	6,003 ppm
Salt (NaCl)	(Max)	21.3 %	Vitamin A	(Min)	298,500 IU/lb
Magnesium (Mg)	(Min)	2.0 %	Vitamin D-3	(Min)	29,900 IU/lb
Potassium (K)	(Min)	0.6 %	Vitamin E	(Min)	303 IU/lb

List of Ingredients

Dicalcium Phosphate, Salt, Calcium Carbonate, Distillers Dried Grains/Solubles, Magnesium Oxide, Manganese Sulfate, Zinc Sulfate, Ferrous Sulfate, Copper Sulfate, Cobalt Sulfate, Calcium Iodate, Sodium Selenite, Cane Molasses, Potassium Chloride, Soybean Oil, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement, Ethoxyquin Preservative, Mineral Oil, Yeast Culture, Ethylenediamine Dihydroiodide, Natural and Artificial Flavor, Artificial Color, Choline Chloride, Niacin, Calcium Pantothenate, Riboflavin, Vitamin B-12 Supplement, Biotin, Menadione Dimethylpyrimidinol Bisulfite (Source of Vitamin K Activity), Thiamine, Pyridoxine Hydrochloride, Folic Acid.

Feeding Directions

Feed CATTLE SUPREME 8 AUREO2.6 MINERAL GR Medicated at the rate listed below to beef cattle. Cattle under 700 lbs will receive 350 mg of Chlortetracycline daily, and cattle over 700 lb will get 0.5 mg/lb of bodyweight, per day.

<u>Cattle Bodyweight (lbs.)</u>	<u>Oz./head/day</u>
Less than 700	2.2
800	2.5
1,000	3.1
1,200	3.7
1,400	4.3

Caution

WARNING: A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal. Withdrawal times may vary by manufacturer. Read label for specific withdrawal times.

CAUTION: Due to the copper level, do not feed to sheep. Follow label directions. The feeding of supplemental selenium should not exceed 0.3 ppm of total diet. The addition to feed of higher levels of this premix containing selenium is not permitted.

Manufactured by:



6010 Stockyards Expressway, St. Joseph, MO 64504
(800) 821-3070

Net Weight 50 lbs. (22.7 kg)

31 06/07/2017 110314M

This product was made in a feed manufacturing facility that does not handle or store products containing animal proteins prohibited in ruminant feed. Safety Data Sheet available upon request.