

FDLT CP SUPP RU625 PEL Medicated

A vitamin and mineral supplement for beef cattle fed in confinement for slaughter for improved feed efficiency

ACTIVE DRUG INGREDIENT

Monensin (as monensin sodium)...... 625 g/ton

Guaranteed Analysis					
Crude Protein	(Min)	8.3 %	Potassium (K)	(Min)	1.4 %
Crude Fat	(Min)	2.7 %	Selenium (Se)	(Min)	5.6 ppm
Crude Fiber	(Max)	9.3 %	Zinc (Zn)	(Min)	1,337 ppm
Calcium (Ca)	(Min)	13.5 %	Vitamin A	(Min)	66,000 IU/lb
Calcium (Ca)	(Max)	16.2 %	Vitamin D-3	(Min)	6,600 IU/lb
Phosphorus (P)	(Min)	0.44 %	Vitamin E	(Min)	69 IU/lb
Salt (NaCl)	(Min)	4.2 %	Thiamine	(Min)	66 mg/lb
Salt (NaCl)	(Max)	5.2 %			

List of Ingredients

Wheat Middlings, Calcium Carbonate, Soybean Hulls, Salt, Cane Molasses, Potassium Chloride, Manganese Sulfate, Zinc Sulfate, Ferrous Sulfate, Copper Sulfate, Cobalt Sulfate, Calcium Iodate, Dehydrated Alfalfa Meal, Choice White Grease, Sodium Selenite, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement, Thiamine Mononitrate.

Feeding Directions

Feed FEEDLOT CP SUPPLEMENT RU625 MEDICATED to cattle being fed in confinement for slaughter at the rate of 8/10 of a pound per head per day to provide 250 mg of Monensin daily.

Caution

CAUTION: Do not allow horses or other equines access to formulation containing Monensin. Ingestion of Monensin by equines has been fatal. Monensin medicated cattle feed is safe for use in cattle and goats only. Feeding undiluted or mixing errors resulting in high concentrations of Monensin has been fatal to cattle and could be fatal to goats. Must be thoroughly mixed in feeds before use. Do not feed undiluted. Do not exceed the levels of Monensin recommended in the feeding directions as reduced average daily gains may result. If feed refusals containing Monensin are fed to other groups of cattle, the concentration of Monensin in the refusals and amount of refusals fed should be taken into consideration to prevent Monensin overdosing. The feeding of supplemental selenium should not exceed 0.3 ppm of total diet. The addition to feed of higher levels of this premix containing selenium is not permitted.

WARNING: A withdrawal time has not been established for preruminating calves. Do not use in calves to be processed for veal.

Manufactured by:





6010 Stockyards Expressway, St. Joseph, MO 64504 (800) 821-3070 Net Weight 50 lbs. (22.7 kg) 31 05/05/2017 149734R

This product was made in a feed manufacturing facility that does not handle or store products containing animal proteins prohibited in ruminant feed. Safety Data Sheet available upon request.