

FEEDLOT CP SUPPLEMENT BT750 M.5 MEDICATED

A vitamin, mineral supplement for HEIFERS fed in confinement for slaughter for increased rate of weight gain, improved feed efficiency and suppression of estrus (heat) in heifers fed in confinement for slaughter.

ACTIVE DRUG INGREDIENTS

Melengestrol Acetate	.5 mg/lb
Lasalocid Sodium	750 g/ton

Guaranteed Analysis

Guaranteea Analysis							
Crude Protein	(Min)	7.4 %	Salt (NaCl)	(Max)	5.0 %		
Crude Fat	(Min)	2.4 %	Potassium (K)	(Min)	1.3 %		
Crude Fiber	(Max)	11.0 %	Selenium (Se)	(Min)	5.6 ppm		
Calcium (Ca)	(Min)	14.3 %	Vitamin A	(Min)	66,000 IU/lb		
Calcium (Ca)	(Max)	17.2 %	Vitamin D-3	(Min)	6,600 IU/lb		
Phosphorus (P)	(Min)	0.35 %	Vitamin E	(Min)	68 IU/lb		
Salt (NaCl)	(Min)	4.0 %	Thiamin	(Min)	65 mg/lb		

List of Ingredients

Calcium Carbonate, Wheat Middlings, Soybean Hulls, Salt, Cane Molasses, Manganese Sulfate, Zinc Sulfate, Ferrous Sulfate, Copper Sulfate, Cobalt Sulfate, Calcium Iodate, Mineral Oil, Potassium Chloride, Dehydrated Alfalfa Meal, Choice White Grease, Sodium Selenite, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement, Ethyoxyquin Preservative, Thiamine Mononitrate.

Feeding Directions

Feed FEEDLOT CP SUPPLEMENT BT750 M.5 MEDICATED at the rate of 8/10 of a pound per head per day to heifers fed in confinement for slaughter to provide 300 mg of Lasalocid and .4 mg of Melengestrol Acetate per head per day.

Caution

Additive Cautions and Warnings: Not effective in steers and spayed heifers. The safety of lasalocid in unapproved species has not been established. Do not allow horses or other equines access to supplements containing lasalocid as ingestion may be fatal. Mix thoroughly with grain and(or) roughage prior to feeding. Feeding undiluted, mixing errors and inadequate mixing of the total ration may result in excess lasalocid concentration which could be fatal to cattle. A withdrawal period has not been established for lasalocid in pre-ruminating cattle. Do not use in calves to be processed for veal. The feeding of supplemental selenium should not exceed 0.3 ppm of total diet. The addition to feed of higher levels of this premix containing selenium is not permitted.

EXPIRATION DATE MARKED ON TAG: (Must be used within 90 days of manufacture)

Manufactured by:





6010 Stockyards Expressway, St. Joseph, MO 64504 (800) 821-3070

Net Weight 50 lbs. (22.7 kg)

31 09/06/2016 149727P

This product was made in a feed manufacturing facility that does not handle or store products containing animal proteins prohibited in ruminant feed. Safety Data Sheet available upon request.