



## CALF SUPP BT-200 PEL Medicated

A protein, vitamin, mineral supplement for cattle weighing up to 800 lbs. for control of coccidiosis caused by *Eimeria bovis* and *Eimeria zuernii*.

### ACTIVE DRUG INGREDIENT

Lasalocid ..... 200 g/ton

### Guaranteed Analysis

Crude Protein	(Min)	38.2 %	Salt (NaCl)	(Min)	1.0 %
Crude Fat	(Min)	3.9 %	Salt (NaCl)	(Max)	1.5 %
Crude Fiber	(Max)	6.0 %	Potassium (K)	(Min)	1.6 %
ADF	(Max)	9.0 %	Selenium (Se)	(Min)	1.4 ppm
Calcium (Ca)	(Min)	1.8 %	Vitamin A	(Min)	53,600 IU/lb
Calcium (Ca)	(Max)	2.3 %	Vitamin D-3	(Min)	10,100 IU/lb
Phosphorus (P)	(Min)	1.08 %	Vitamin E	(Min)	105 IU/lb

### List of Ingredients

Soybean Meal, Linseed Meal, Pork Meat & Bone Meal, Distillers Dried Grains/Solubles, Cane Molasses, Calcium Carbonate, Salt, Choice White Grease, Lignin Sulfonate, Dicalcium Phosphate, Manganese Sulfate, Zinc Sulfate, Ferrous Sulfate, Copper Sulfate, Cobalt Sulfate, Calcium Iodate, Vitamin E Supplement, Dried *Aspergillus oryzae* Fermentation Product, Natural and Artificial Flavor, Sodium Selenite, Vitamin A Supplement, Vitamin D-3 Supplement, Propionic Acid, Sorbic Acid, Acetic Acid, Benzoic Acid, Ammonium Hydroxide.

Contains AMAFERM®, a registered trademark of BioZyme® Inc.

### Feeding Directions

Mix CALF SUPP BT-200 PEL Medicated into the daily ration to provide 0.45 pounds of supplement per hundred pounds of bodyweight making the Lasalocid intake 45 mg per hundred pounds of bodyweight daily.

	18% RATION	16% RATION
Corn	1000 lbs.	1250 lbs.
Oats	400 lbs.	300 lbs.
CALF SUPP BT-200 PEL Medicated	<u>600 lbs.</u>	<u>450 lbs.</u>
TOTAL	2000 lbs.	2000 lbs.

Feeding Rate PER 100# BWT	1.5 lbs.	2.0 lbs.
---------------------------	----------	----------

### Caution

WARNING: A withdrawal period has not been established for this product in pre-ruminating cattle. Do not use in calves to be processed for veal.

CAUTION: The safety of Lasalocid in unapproved species has not been established. Do not allow horses or other equines access to feed containing Lasalocid as ingestion may be fatal.

The feeding of supplemental selenium should not exceed 0.3 ppm of total diet. The addition to feed of higher levels of this premix containing selenium is not permitted.

Manufactured by:



**MEDICATED**

6010 Stockyards Expressway, St. Joseph, MO 64504  
(800) 821-3070

**Net Weight 50 lbs. (22.7 kg)**

**31 08/21/2017 150200**

This product was made in a feed manufacturing facility that does not handle or store products containing animal proteins prohibited in ruminant feed. Safety Data Sheet available upon request.